

MACHINE TOOLS SAWING



HORIZONTAL BANDSAW

MANUAL TYPE HORIZONTAL BANDSAW ▼

MODEL: 712SG

- ▲ Capacity: 90° ● 180mm ■ 180x260mm ■ 55x280mm
45° ● 105mm ■ 120x105mm
- ▲ Swivel head gear transmission
- ▲ Main motor 1HP
- ▲ Blade speed 39/66/82mpm
- ▲ Blade size 19x0.9x2360mm
- ▲ Packing Size: 1280x570x1060mm
- ▲ Machine weight: 189kgs



MANUAL TYPE HORIZONTAL BANDSAW ▼

MODEL: 812B

- ▲ Capacity: 90° ● 200mm ■ 165x275mm ■ 55x300mm
45° ● 120mm ■ 200x120mm
- ▲ Four steps pulley for blade speed control
- ▲ Main motor 1HP
- ▲ Blade speed 22/33/45/65 mpm(50HZ); 25/40/55/80 mpm(60HZ)
- ▲ Blade size 19x0.9x2360mm
- ▲ Hydraulic on / off switch
- ▲ Packing Size: 1280 x 480 x 1070 mm
- ▲ Machine weight: 143kgs



MANUAL TYPE HORIZONTAL BANDSAW ▼

MODEL: 250A

- ▲ Capacity: 90° ● 250mm ■ 250x415mm ■ 200x450mm
45° ● 90mm ■ 250x190mm
- ▲ Swivel vise
- ▲ Main motor 2HP
- ▲ Four steps pulley for blade speed control
- ▲ Blade speed 25/40/51/71mpm
- ▲ Blade size 27x0.9x3300mm
- ▲ Packing Size: 1745x567x1080mm
- ▲ Machine weight: 320kgs



MANUAL TYPE HORIZONTAL BANDSAW ▼

MODEL: 250S

- ▲ Capacity: 90° ●250mm ■250x385mm ■230x400mm
45° ●215mm ■250x215mm
- ▲ Swivel head
- ▲ Main motor 2HP
- ▲ Variable blade speed control
- ▲ Blade speed 25-75mpm
- ▲ Blade size 27x0.9x3300mm
- ▲ Packing Size: 1880x750x1117mm
- ▲ Machine weight: 425kgs



MANUAL TYPE HORIZONTAL BANDSAW ▼

MODEL: 250V

- ▲ Capacity: 90° ●250mm ■250x415mm ■200x450mm
45° ●190mm ■250x190mm
- ▲ Swivel vise
- ▲ Main motor 2HP
- ▲ Variable blade speed control
- ▲ Blade speed 25-75mpm
- ▲ Blade size 27x0.9x3300mm
- ▲ Packing Size: 1880x750x1117mm
- ▲ Machine weight: 320kgs



MANUAL TYPE HORIZONTAL BANDSAW ▼

MODEL: 330A

- ▲ Capacity: 90° ●330mm ■330x480mm ■225x530mm
45° ●255mm ■280x255mm
- ▲ Swivel vise
- ▲ Quick vise with rack system and feed roller on table
- ▲ Manual blade tension device
- ▲ Main motor 3HP
- ▲ Four steps pulley for blade speed control
- ▲ Blade speed 28/40/56/78mpm
- ▲ Blade size 34x1.1x4100mm
- ▲ Packing Size: 2223x775x1512mm
- ▲ Machine weight: 600kgs



SEMI-AUTO HORIZONTAL BANDSAW ▼

MODEL: 250SSA

- ▲ Capacity: 90° ●250mm ■250x385mm ■230x400mm
45° ●215mm ■250x215mm
- ▲ Swivel head
- ▲ Main motor 2HP
- ▲ Variable blade speed control
- ▲ Blade speed 25-75mpm
- ▲ Blade size 27x0.9x3300mm
- ▲ Packing Size: 1905x775x1117mm
- ▲ Machine weight: 485kgs



SEMI-AUTO HORIZONTAL BANDSAW ▼

MODEL: 250SSAV

- ▲ Capacity: 90° ●250mm ■250x385mm ■230x400mm
45° ●215mm ■250x215mm
- ▲ Swivel head
- ▲ Swivel control box
- ▲ Hydraulic vise
- ▲ Main motor 2HP
- ▲ Variable blade speed control
- ▲ Blade speed 25-75mpm
- ▲ Blade size 27x0.9x3300mm
- ▲ Packing Size: 1905x775x1117mm
- ▲ Machine weight: 500kgs



SEMI-AUTO HORIZONTAL BANDSAW ▼

MODEL: 330SSA

- ▲ Capacity: 90° ●330mm ■330x480mm ■225x530mm
45° ●275mm ■300x275mm
- ▲ Swivel saw-bow
- ▲ Main motor 3HP
- ▲ Variable blade speed
- ▲ Blade speed 28~80mpm
- ▲ Blade size 34x1.1x4100mm
- ▲ Packing Size: 2286x935x1449mm
- ▲ Machine weight: 750kgs



SEMI-AUTO HORIZONTAL BANDSAW ▼

MODEL: 330SSAV

- ▲ Capacity: 90° ●330mm ■330x480mm ■225x530mm
45° ●275mm ■300x275mm
- ▲ Swivel head
- ▲ Hydraulic vise
- ▲ Swivel control box
- ▲ Main motor 3HP
- ▲ Variable blade speed
- ▲ Blade speed 28~80mpm
- ▲ Blade size 34x1.1x4100mm
- ▲ Packing Size: 2286x935x1449mm
- ▲ Machine weight: 750kgs



SEMI-AUTO MITER CUTTING HORIZONTAL BANDSAW ▼

MODEL: 331DSAE

- ▲ Capacity: 90° ●331mm ■320x485mm ■260x510mm
45° ●315mm ■315x315mm
60° ●215mm ■195x315mm
- ▲ Dual miter cutting R/L (60°)
- ▲ Main motor 3HP
- ▲ Variable blade speed
- ▲ Blade speed 26~80mpm(50HZ); 32~96mpm(60HZ)
- ▲ Blade size 34x1.1x4180mm
- ▲ Blade tension gauge
- ▲ Vise pressure regulator
- ▲ Push button style control panel
- ▲ Packing Size: 2310x1060x1500mm
- ▲ Machine weight: 835kgs



SEMI-AUTO MITER CUTTING HORIZONTAL BANDSAW ▼

MODEL: 460DSAE

- ▲ Capacity: 90° ●460mm ■460x460mm ■440x600mm
45° ●445mm ■445x445mm
60° ●295mm ■295x295mm
- ▲ Dual miter cutting R/L (60°)
- ▲ Main motor 5HP
- ▲ Variable blade speed
- ▲ Mechanical variable speed adjusting by manually
- ▲ Blade speed 32~96mpm(60HZ)
- ▲ Blade size 41x1.3x5330mm
- ▲ Swiveling saw-bow by manually
- ▲ Vise movement by manually
- ▲ Fully stroke vise and assistant rod make stable clamping
- ▲ Blade tension gauge
- ▲ Manual saw height control device
- ▲ Packing Size: 2810x1130x1870mm
- ▲ Machine weight: 1310kgs



SEMI-AUTO MITER CUTTING HORIZONTAL BANDSAW ▼

MODEL: 530DSA

- ▲ Capacity: 90° ●530mm ■530x530mm ■335x700mm
45° ●490mm ■435x435mm ■300x500mm
60° ●335mm ■320x320mm ■305x400mm
L45° ●480mm ■435x435mm ■300x480mm
L60° ●335mm ■320x320mm ■305x400mm
- ▲ Dual miter cutting R/L (60°)
- ▲ Main motor 7.5HP
- ▲ Variable blade speed
- ▲ Blade speed 25~85mpm
- ▲ Use motor inverter control blade speed
- ▲ Blade size 41x1.3x6030mm
- ▲ Table height 923mm
- ▲ Easily set saw height from control panel
- ▲ Miter cutting in both directions up to 60°
- ▲ Hydraulic blade tension device
- ▲ Vise clamping pressure regulator
- ▲ Saw bow swivel by manual
- ▲ Vise seat movement by manual
- ▲ Full stroke vise and assist rod to help clamping stable
- ▲ Hydraulic blade tension device
- ▲ Packing Size: 3302x1135x2034mm
- ▲ Machine weight: 1880kgs



FULLY AUTOMATIC DOUBLE COLUMN HORIZONTAL BANDSAW ▼

MODEL: 300AE

- ▲ Capacity: ●300mm ■300x300mm
- ▲ Main motor 4HP
- ▲ Variable blade speed
- ▲ Mechanical variable speed device / Blade speed show in screen
- ▲ Blade speed 30 ~ 90mpm
- ▲ Blade size 34x1.1x3920mm
- ▲ Automatic series
- ▲ Vise feeding material by linear guide
- ▲ 7" big screen is easy to touch and operate
- ▲ Rotary encoder calculates length accurately
- ▲ Hydraulic blade tension device
- ▲ Feeding floating vise
- ▲ Packing Size: 2230x2270x1880mm
- ▲ Machine weight: 1400kgs



FULLY AUTOMATIC DOUBLE COLUMN HORIZONTAL BANDSAW

MODEL: 5046HA

- ▲ Capacity: ●460mm ■460x500mm
- ▲ Main motor 7.5HP
- ▲ Variable blade speed
- ▲ Motor inverter controlled variable blade speed
- ▲ Blade speed 30~85mpm
- ▲ Blade size 41x1.3x5450mm
- ▲ Bundle cutting (WxH) 195~3100x120~230mm
- ▲ Feeding stroke 500mm
- ▲ Table height 880mm
- ▲ Color touchscreen
- ▲ Hydraulic blade tension device
- ▲ Multi-language interface
- ▲ Full stroke hydraulic vises
- ▲ Rotary encoder for accurate material feeding
- ▲ Hydraulic carbide blade guide
- ▲ Can save 10 cutting presets
- ▲ Automatic chip conveyor
- ▲ Power driven wire brush



FULLY AUTOMATIC DOUBLE COLUMN HORIZONTAL BANDSAW ▼

MODEL: 6056HA

- ▲ Capacity: ●560mm ■560x600mm
- ▲ Main motor 10HP
- ▲ Variable blade speed
- ▲ Motor inverter controlled variable blade speed
- ▲ Blade speed 30~85mpm
- ▲ Blade size 54x1.6x6660mm
- ▲ Bundle cutting (WxH) 230~400x120~270mm
- ▲ Cut off length over 10mm
- ▲ Feeding stroke 500mm
- ▲ Table height 810mm
- ▲ Color touchscreen
- ▲ Hydraulic blade tension device
- ▲ Multi-language interface
- ▲ Full stroke hydraulic vises
- ▲ Rotary encoder for accurate material feeding
- ▲ Hydraulic carbide blade guide
- ▲ Can save 10 cutting presets
- ▲ Automatic chip conveyor
- ▲ Power driven wire brush



**SEMI-AUTO TYPE HEAVY DUTY
DOUBLE COLUMN HORIZONTAL BANDSAW**

MODEL: 800SA

- ▲ Capacity: ●800mm ■800x800mm
- ▲ Main motor 10HP
- ▲ Variable blade speed
- ▲ Motor inverter controlled variable blade speed
- ▲ Blade speed 20~85mpm
- ▲ Blade size 54x1.6x8300mm
- ▲ Table height 620mm
- ▲ Linear guides are used for saw bow movement
- ▲ Guide post movement is hydraulically controlled for easy adjustment
- ▲ Hydraulic blade tension device
- ▲ Split vise clamping
- ▲ Symbol-based control panel is easy to understand and operate
- ▲ Automatic chip conveyor



**SEMI-AUTO TYPE HEAVY DUTY
DOUBLE COLUMN HORIZONTAL BANDSAW**

MODEL: 1100SA

- ▲ Capacity: ●1100mm ■1100mm x1100mm
- ▲ Main motor 15HP
- ▲ Variable blade speed
- ▲ Blade speed 20~85mpm
- ▲ Blade size 67x1.6x9800mm
- ▲ Table height 620mm
- ▲ Linear guides are used for saw bow movement
- ▲ Guide post movement is hydraulically controlled for easy adjustment
- ▲ Hydraulic blade tension device
- ▲ Split vise clamping
- ▲ Symbol-based control panel is easy to understand and operate
- ▲ Automatic chip conveyor



**SEMI-AUTO TYPE HEAVY DUTY
DOUBLE COLUMN HORIZONTAL BANDSAW**

MODEL: 800SAT

- ▲ Capacity: ●800mm ■800x800mm
- ▲ Main motor 10HP
- ▲ Variable blade speed
- ▲ Motor inverter controlled variable blade speed
- ▲ Blade speed 20~85mpm
- ▲ Blade size 54x1.6x8300mm
- ▲ Table height 620mm
- ▲ Linear guides are used for both saw bow and table movement
- ▲ Table movement for feeding of material
- ▲ Cutting position and table movement, set by encoder
- ▲ Blade speed and feeding length readout
- ▲ Automatic chip conveyor
- ▲ Double clamping vise



**SEMI-AUTO TYPE HEAVY DUTY
DOUBLE COLUMN HORIZONTAL BANDSAW**

MODEL: 1100SAT

- ▲ Capacity: ●1100mm ■1100mmx1100mm
- ▲ Main motor 15HP
- ▲ Variable blade speed
- ▲ Blade speed 20~85mpm
- ▲ Motor inverter controlled variable blade speed
- ▲ Blade size 67x1.6x9800mm
- ▲ Table height 620mm
- ▲ Linear guides are used for both saw bow and table movement
- ▲ Table movement for feeding of material
- ▲ Cutting position and table movement, set by encoder
- ▲ Blade speed and feeding length readout
- ▲ Automatic chip conveyor
- ▲ Double clamping vise



MANUAL EUROPEAN TYPE HORIZONTAL BANDSAW

MODEL: 260S

- ▲ Capacity: 90° ●227mm ■220x220mm ■260x110mm
45° ●150mm ■145x145mm ■200x125mm
60° ●90mm ■85x85mm
- ▲ Main motor 1.5HP
- ▲ Blade speed(2 speeds) 4P 72mpm ; 8P 36mpm (50HZ)
- ▲ Blade size 27x0.9x2460mm
- ▲ Trigger switch, control box
- ▲ 0°~60° angle cuts
- ▲ Packing Size: 1549x737x921mm
- ▲ Machine weight: 216kgs



MANUAL EUROPEAN TYPE HORIZONTAL BANDSAW

MODEL: 270DS

- ▲ Capacity: 90° ●227mm ■220x220mm ■260x110mm
45° ●150mm ■145x145mm ■200x125mm
60° ●90mm ■85x85mm
45L ●110mm ■110x110mm ■160x110mm
- ▲ Main motor 1.5HP
- ▲ Blade speed(2 speeds) 4P 72mpm ; 8P 36mpm (50HZ)
- ▲ Blade size 27x0.9x2460mm
- ▲ Two cutting functions.(Manual or controlled descent cutting)
- ▲ Dual angles vise, 0°~60°(R) angle cuts 0°~45°(L)
- ▲ Packing Size: 1549x737x1054mm
- ▲ Machine weight : 273kgs



MANUAL EUROPEAN TYPE HORIZONTAL BANDSAW ▶
MODEL: 310DS

- ▲ Capacity: 90° ●250mm ■240x240mm ■310x210mm
45° ●200mm ■180x180mm ■200x140mm
60° ●120mm ■95x95mm
45L° ●150mm ■150x150mm ■170x90mm
- ▲ Main motor 1.5HP
- ▲ Blade speed(2 speeds) 4P 72mpm ; 8P 36mpm (50HZ)
- ▲ Blade size 27x0.9x2725mm
- ▲ Two cutting functions (Manual or controlled descent cutting)
- ▲ Dual angles vise, 0°~60°(R) angle cuts 0°~45°(L)
- ▲ Packing Size: 1676x749x1054mm
- ▲ Machine weight: 310kgs



**MANUAL EUROPEAN TYPE HORIZONTAL BANDSAW
ROUND TABLE TYPE ▶**
MODEL: 310R

- ▲ Capacity: 90° ●250mm ■240x240mm ■310x210mm
45° ●200mm ■180x180mm ■200x140mm
60° ●120mm ■120x120mm
45L° ●160mm ■150x150mm ■210x75mm
- ▲ Main motor 1.5HP
- ▲ Blade speeds 36 / 72mpm
- ▲ Two blade speeds
- ▲ Blade size 27x0.9x2725mm
- ▲ Working table swiveling with saw head
- ▲ Dual angles vise, 0°~60°(R) angle cuts 0°~45°(L)
- ▲ Blade tension gauge and breakage switch
- ▲ Manual and quickly locking vise
- ▲ Packing Size: 1676x749x1054mm
- ▲ Machine weight: 330kgs



MANUAL EUROPEAN TYPE HORIZONTAL BANDSAW ▶
MODEL: 350DS

- ▲ Capacity: 90° ●270mm ■260x260mm ■350x220mm
45° ●240mm ■220x220mm ■240x160mm
60° ●160mm ■150x150mm
45L° ●210mm ■180x180mm
- ▲ Main motor 2HP
- ▲ Blade speed(2 speeds) 4P 68mpm ; 8P 34mpm (50HZ)
- ▲ Blade size 27x0.9x3160mm
- ▲ Two cutting functions.(Manual or controlled descent cutting)
- ▲ Dual angles vise, 0°~60°(R) angle cuts 0°~45°(L)
- ▲ Packing Size: 1841x749x1092mm
- ▲ Machine weight: 360kgs



CIRCULAR SAW ▶
MODEL: CS-250

- ▲ Capacity: 90° ●30mm ○75mm □65x65mm □50x90mm
45° ●30mm ○65mm □55x55mm □50x60mm
- ▲ Main motor 1HP, 2P/4P/3PH
- ▲ Spindle speed 45/90rpm (50HZ); 54/108rpm (60HZ)
- ▲ Saw Blade (optional) HHS2.0x32xφ250mm
- ▲ Max. vise opening: 100mm
- ▲ Machine weight: 110kgs (without stand)
21kgs (stand)



CIRCULAR SAW ▶
MODEL: CS-315

- ▲ Capacity: 90° ●60mm ○100mm □82x82mm □70x110mm
45° ●50mm ○90mm □75x75mm □70x85mm
- ▲ Main motor 2HP, 2P/4P/3PH
- ▲ Spindle speed 88/44rpm (50HZ); 104/52rpm (60HZ)
- ▲ Saw Blade (optional) HHS2.0x32xφ315mm
- ▲ Max. vise opening: 120mm
- ▲ Machine weight: 175kgs (with stand)



CIRCULAR SAW ▶
MODEL: CS-275

- ▲ Capacity: 90° ●40mm ○85mm □75x75mm □50x90mm
45° ●40mm ○65mm □55x55mm □50x60mm
- ▲ Main motor 1-1/2HP, 2P/4P/3PH
- ▲ Spindle speed 45/90rpm (50HZ); 54/108rpm (60HZ)
- ▲ Saw Blade (optional) HHS2.0x32xφ275mm
- ▲ Max. vise opening: 100mm
- ▲ Machine weight: 160kgs (with stand)



CIRCULAR SAW ▶
MODEL: CS-350

- ▲ Capacity: 90° ●85mm ○120mm □105x105mm □90x160mm
45° ●75mm ○100mm □85x85mm □70x85mm
- ▲ Main motor 3HP, 4P/3PH
- ▲ Spindle speed 24-120rpm
- ▲ Saw Blade (optional) HHS2.5x32xφ350mm
- ▲ Max. vise opening: 170mm
- ▲ Machine weight: 265kgs (with stand)

